



STUDENT DEMOGRAPHICS




DRINKING METRICS




How old were you when you began drinking alcoholic beverages regularly?*

Drinking Frequency*

On how many occasions (if any) have you had alcoholic beverages (beer, wine or hard liquor) to drink - more than just a few sips - in the past 30 days?



How many times in the past 30 days have you had 5 or more alcoholic drinks in a row?




*Students who answered "I don't drink" for the question "How old were you when you began drinnking alcoholic beverages regularly?" were excluded from these charts.

DRINKING METRICS


In a typical month, how many weeks do you have an alcoholic drink? *

How much do you spend on alcohol in a typical week? *



*Students who answered "I don't drink" for the question "How old were you when you began drinnking alcoholic beverages regularly?" were excluded from these charts.

In the past month, how many days did you drive or ride in a vehicle shortly after having 3 or more drinks?




DRINKING IN THE FAMILY

Students with At Least One Alcoholic Blood Relative


47% of students

0.9 Blood Relatives on average per student


For students who have at least one alcoholic blood relative, the percent of students who have at least one alcoholic blood relative in the following categories



OPINIONS & EXPECTATIONS



How wrong do your friends feel it would be for you to...



Page 2 >>

OPINIONS & EXPECTATIONS

No risk		Slight risk	Moderate risk	Great risk
16%	13%	27%		45%

How much do you think people risk harming themselves (physically or in other ways) if they...

hingo duints /i.e. duints five ou mous duints in a single

...binge drink (i.e., drink five or more drinks in a single

...binge drink (i.e., drink five or more drinks in a single session) regularly?

15%	7%	23%	55%

drink occasionally?

session) once in a while?


13%	21%	31%	36%

NEGATIVE CONSEQUENCES

	0	1-2	3-5	6-10	11 or more	I didn't drink
Been involved in a fight.	46%	8%	1%	3%	3%	40%
Did something you later regretted.	32%	18%	3%	3%	2%	44%
Forgot where you were or what you did.	36%	12%	3%	2%	2%	45%
Physically injured another person.	45%	7%	1%	4%	1%	42%
Physically injured yourself.	37%	9%	5%	5%	2%	42%

How many times in the past 30 days have you been drunk or high at school? *

During the last 4 weeks, how many whole days have you missed school because you "skipped" or "cut"?*



* Students who answered "I don't drink" for the question "How old were you when you began drinnking alcoholic beverages regularly?" were excluded from these charts.

Within the last 30 days, if you drank, how many times did you do the following?*

PROTECTIVE BEHAVIORS


Within the last 30 days, if you drank, how many times did you do the following? *

	Always	Often	Unsure	Rarely	Never
Alternate non-alcoholic with alcohol beverages	8%	8%	15%	21%	48%
Choose not to drink alcohol.	28%	28%	14%	8%	21%
Determine in advance, not to exceed a set number of drinks.	12%	12%	12%	12%	51%
Drink non-alcoholic beer, punch, etc.	21%	13%	19%	6%	41%
Eat before and/or during drinking.	30%	10%	13%	7%	40%
Have a friend let you know when you've had enough.	26%	13%	10%	8%	41%
Keep track of how many drinks you were having.	35%	12%	10%	8%	35%
Pace your drinks to 1 or fewer per hour.	21%	16%	19%	6%	38%
Use a designated driver.	39%	6%	12%	5%	38%

* Students who answered "I don't drink" for the question "How old were you when you began drinking alcoholic beverages regularly?" were excluded from these charts.

POSITIVE BEHAVIORS

Which activities would you like to spend more time on?



SATISFACTION SURVEY RESULTS



Student satisfaction scores calculated based on sum response type in the survey questions. For example, if a student answered "Strongly Agree" or "Agree" in 2 or more of the questions on the survey, then that student was overall satisfied. Vice versa applies to Not Satisfied. Majority "Unsure" answers are marked as In Between.